ELSEVIER

Neuroscience Letters 291 (2000) 207–209

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 291

Abalo, R., Pascual, D., Goicoechea, C., Martín, M.I., Blockade by pertussis toxin of the opioid effect on guinea pig ileum. Contractility and electrophysiological neuronal recording, 131
Abe, T., see Takahashi, K., 159
Adler, M., see Kest, B., 126
Aller, M.I., Paniagua, M.A., Gimenes, C.C., Araujo, F., Vitorica, J., Fernández-López, A., Distribution of the γ aminobutyric acid$_A$ receptor complex alpha 5 subunit in chick brain. An immunocytochemical and autoradiographic study, 49
Alloui, A., see Onen, S.H., 25
Araujo, F., see Aller, M.I., 49
Åsberg, M., see Damberg, M., 204
Authier, N., Fialip, J., Eschalier, A., Coudoré, F., Assessment of allodynia and hyperalgesia after cisplatin administration to rats, 73
Azukawa, S., see Kitamura, Y., 117

Baracat, E.C., see Silva, I., 183
Basbaum, A.I., see Taylor, B.K., 139
Beck, K.D., see Perrotti, L.I., 155
Benfato, M.S., see Dal-Pizzol, F., 179
Benoliel, R., Tanaka, M., Caudle, R.M., Iadarola, M.J., Co-localization of *N*-methyl-D-aspartate receptors and substance P (neurokinin-1) receptors in rat spinal cord, 61
Benton, R.L., Ross, C.D., Miller, K.E., Glutamine synthetase activities in spinal white and gray matter 7 days following spinal cord injury in rats, 1
Benyó, Z., see Lacza, Z., 65
Berggård, C., see Damberg, M., 204
Bertini, M., see De Gennaro, L., 41
Bickford, P.C., Breiderick, L., Benzodiazepine modulation of GABAergic responses is intact in the cerebellum of aged F344 rats, 187
Biebl, M., Cooper, C.M., Winkler, J., Kuhn, H.G., Analysis of neurogenesis and programmed cell death reveals a self-renewing capacity in the adult rat brain, 17
Bolshakov, K.V., Tikhonov, D.B., Gmiro, V.E., Magazanik, L.G., Different arrangement of hydrophobic and nucleophilic components of channel binding sites in *N*-methyl-D-aspartate and AMPA receptors of rat brain is revealed by channel blockade, 101
Breiderick, L., see Bickford, P.C., 187

Caudle, R.M., see Benoliel, R., 61
Ceng, X., see Lu, L., 191
Cheng, J.-T., see Yu, W.-J., 37
Cooper, C.M., see Biebl, M., 17
Coudoré, F., see Authier, N., 73
Curio, G., see Steinbrink, J., 105

Dal-Pizzol, F., Klamt, F., Vianna, M.M.R, Schröder, N., Quevedo, J., Benfato, M.S., Moreira, J.C.F, Walz, R., Lipid peroxidation in hippocampus early and late after status epilepticus induced by pilocarpine or kainic acid in Wistar rats, 179
Damberg, M., Garpenstrand, H., Berggård, C., Åsberg, M., Hallman, J., Oreland, L., The genotype of human transcription factor AP-2β is associated with platelet monoamine oxidase B activity, 204
De Gennaro, L., Ferrara, M., Bertini, M., The spontaneous K-complex during stage 2 sleep: is it the 'forerunner' of delta waves?, 41
de Mendonça, A., Ribeiro, J.A., Long-term potentiation observed upon blockade of adenosine A_1 receptors in rat hippocampus is *N*-methyl-D-aspartate receptor-dependent, 81
Dostert, P., see Maruyama, W., 89
Drago, J., see Snell, B.J., 97
Dubray, C., see Onen, S.H., 25

Erdős, B., see Lacza, Z., 65
Eschalier, A., see Authier, N., 73
Eschalier, A., see Onen, S.H., 25

Fernández-López, A., see Aller, M.I., 49
Ferrara, M., see De Gennaro, L., 41
Fialip, J., see Authier, N., 73
Freymüller, E., see Silva, I., 183
Furuta, K., see Satoh, T., 167

Garpenstrand, H., see Damberg, M., 204
Gimenes, C.C., see Aller, M.I., 49
Gmiro, V.E., see Bolshakov, K.V., 101
Goicoechea, C., see Abalo, R., 131
Görlach, C., see Lacza, Z., 65

Haidar, M.A., see Silva, I., 183
Hallman, J., see Damberg, M., 204
Hara, H., see Jimi, T., 93
Hashimoto, I., see Nakano, S., 113
Heaton, M.B., Kim, D.S., Paiva, M., Neurotrophic factor protection against ethanol toxicity in rat cerebellar granule cell cultures requires phosphatidylinositol 3-kinase activation, 121
Hirashima, N., see Lee, D.-S., 21
Hirota, K., Kudo, M., Kudo, T., Kitayama, M., Kushikata, T., Lambert, D.G., Matsuki, A., Barbiturates inhibit K^+-evoked noradrenaline and dopamine release from rat striatal slices – involvement of voltage sensitive Ca^{2+} channels, 175
Hopkins, E., see Kest, B., 126
Hurley, M.J., Mash, D.C., Jenner, P., Adenosine A_{2A} receptor mRNA expression in Parkinson's disease, 54

Iadarola, M.J., see Benoliel, R., 61
Inoue, M., see Jimi, T., 93

PII: S0304-3940(00)01468-3

Iwasa, K., see Maruyama, W., 89
Iwata, M., see Sasaki, S., 44

Jenner, P., see Hurley, M.J., 54
Jimi, T., Wakayama, Y., Murahashi, M., Shibuya, S., Inoue, M., Hara, H., Matsuzaki, Y., Uemura, N., Aquaporin 4: lack of mRNA expression in the rat regenerating muscle fiber under denervation, 93
Jolkkonen, E., see Liubashina, O., 85
Juang, S.-W., see Yu, W.-J., 37
Jung, J.-S., see Kim, D.-H., 69

Kakimura, J.-i., see Kitamura, Y., 117
Kato, T., Ogawa, S., Uğurbil, K., Functional suppression of long-term sustained response in the human hippocampal formation due to memory distraction, 33
Kawai, M., see Maruyama, W., 89
Kawamura, S., see Prakasa Babu, P., 196
Kest, B., Adler, M., Hopkins, E., Sex differences in thermoregulation after acute and chronic morphine administration in mice, 126
Kim, D.-H., Jung, J.-S., Kim, H.-S., Suh, H.-W., Son, B.-K., Kim, Y.-H., Song, D.-K., Inhibition of brain protein kinase C attenuates immobilization stress-induced plasma corticosterone levels in mice, 69
Kim, D.S., see Heaton, M.B., 121
Kim, H.-S., see Kim, D.-H., 69
Kim, Y.-H., see Kim, D.-H., 69
Kirino, Y., see Lee, D.-S., 21
Kitamura, Y., Takata, K., Kakimura, J.-i., Umeki, M., Azukawa, S., Suzuki, S., Taniguchi, T., Aryl hydrocarbon receptor nuclear translocator is induced by kainic acid in rat hippocampal glial cells, 117
Kitayama, M., see Hirota, K., 175
Klamt, F., see Dal-Pizzol, F., 179
Knapp, M.G.L., see Wong, A.H.C., 135
Kohl, M., see Steinbrink, J., 105
Komori, T., see Sasaki, S., 44
Koyama, N., Nishio, T., Yokota, T., Non-serotonergic midbrain neurons are involved in picrotoxin-induced analgesia. An immunohistochemical study in the rat, 147
Kudo, M., see Hirota, K., 175
Kudo, T., see Hirota, K., 175
Kuhn, H.G., see Biebl, M., 17
Kushikata, T., see Hirota, K., 175

Lacza, Z., Erdős, B., Görlach, C., Wahl, M., Sándor, P., Benyó, Z., The cerebrocortical microcirculatory effect of nitric oxide synthase blockade is dependent upon baseline red blood cell flow in the rat, 65
Lambert, D.G., see Hirota, K., 175
Lawrence, A.J., see Snell, B.J., 97
Le Grevés, P., see Zhou, Q., 109
Leake, A., Morris, C.M., Whateley, J., Brain matrix metalloproteinase 1 levels are elevated in Alzheimer's disease, 201
Ledent, C., see Snell, B.J., 97
Lee, B.H., Park, S.-H., Won, R., Park, Y.G., Sohn, J.-H., Antiallodynic effects produced by stimulation of the periaqueductal gray matter in a rat model of neuropathic pain, 29
Lee, D.-S., Hirashima, N., Kirino, Y., Rapid transbilayer phospholipid redistribution associated with exocytotic release of neurotransmitters from cholinergic nerve terminals isolated from electric ray *Narke japonica*, 21
Lee, J.-J., see Yu, W.-J., 37
Liu, D., see Lu, L., 191
Liu, T.-P., see Yu, W.-J., 37
Liubashina, O., Jolkkonen, E., Pitkänen, A., Projections from the central nucleus of the amygdala to the gastric related area of the dorsal vagal complex: a *Phaseolus vulgaris*-leucoagglutinin study in rat, 85
Loh, H.H., see Sung, B., 163
Lu, L., Zeng, S., Liu, D., Ceng, X., Inhibition of the amygdala and hippocampal calcium/calmodulin-dependent protein kinase II attenuates the dependence and relapse to morphine differently in rats, 191
Luine, V.N., see Perrotti, L.I., 155

Magazanik, L.G., see Bolshakov, K.V., 101
Martín, M.I., see Abalo, R., 131
Maruyama, W., Sango, K., Iwasa, K., Minami, C., Dostert, P., Kawai, M., Moriyasu, M., Naoi, M., Dopaminergic neurotoxins, 6,7-dihydroxy-1-(3′,4′-dihydroxybenzyl)-isoquinolines, cause different types of cell death in SH-SY5Y cells: apoptosis was induced by oxidized papaverolines and necrosis by reduced tetrahydropapaverolines, 89
Mash, D.C., see Hurley, M.J., 54
Matsuki, A., see Hirota, K., 175
Matsumoto, K., see Takahashi, K., 159
Matsumoto, T., Yamanouchi, K., Acceleration of mounting behaviors in female rats by ibotenic acid lesions in the ventromedial hypothalamic nucleus, 143
Matsuzaki, Y., see Jimi, T., 93
Mello, L.E.A.M., see Silva, I., 183
Miller, K.E., see Benton, R.L., 1
Minami, C., see Maruyama, W., 89
Moreira, J.C.F, see Dal-Pizzol, F., 179
Moriyasu, M., see Maruyama, W., 89
Morris, C.M., see Leake, A., 201
Murahashi, M., see Jimi, T., 93

Nagane, Y., see Tohgi, H., 151
Nakano, S., Hashimoto, I., High-frequency oscillations in human somatosensory evoked potentials are enhanced in school children, 113
Naoi, M., see Maruyama, W., 89
Nishio, T., see Koyama, N., 147
Nougier, V., see Vuillerme, N., 77
Nyberg, F., see Zhou, Q., 109

Obrig, H., see Steinbrink, J., 105
Ogawa, S., see Kato, T., 33
Onen, S.H., Alloui, A., Eschalier, A., Dubray, C., Vocalization thresholds related to noxious paw pressure are decreased by paradoxical sleep deprivation and increased after sleep recovery in rat, 25
Oreland, L., see Damberg, M., 204

Paiva, M., see Heaton, M.B., 121
Paniagua, M.A., see Aller, M.I., 49
Park, S.-H., see Lee, B.H., 29
Park, Y.G., see Lee, B.H., 29
Pascual, D., see Abalo, R., 131
Perrotti, L.I., Beck, K.D., Luine, V.N., Quiñones, V., Progesterone and cocaine administration affect serotonin in the medial prefrontal cortex of ovariectomized rats, 155
Pitkänen, A., see Liubashina, O., 85
Prakasa Babu, P., Yoshida, Y., Su, M., Segura, M., Kawamura, S., Yasui, N., Immunohistochemical expression of Bcl-2, Bax and cytochrome *c* following focal cerebral ischemia and effect of hypothermia in rat, 196

Quevedo, J., see Dal-Pizzol, F., 179
Quiñones, V., see Perrotti, L.I., 155

Ragnar, F., see Zhou, Q., 109
Ribeiro, J.A., see de Mendonça, A., 81
Rinneberg, H., see Steinbrink, J., 105
Roderick, R.E., see Taylor, B.K., 139
Ross, C.D., see Benton, R.L., 1

Sándor, P., see Lacza, Z., 65
Sango, K., see Maruyama, W., 89
Sasaki, S., Shibata, N., Komori, T., Iwata, M., iNOS and nitrotyrosine immunoreactivity in amyotrophic lateral sclerosis, 44
Satoh, T., Furuta, K., Tomokiyo, K., Suzuki, M., Watanabe, Y., Designed cyclopentenone prostaglandin derivatives as neurite outgrowth-promoting compounds for CAD cells, a rat catecholaminergic neuronal cell line of the central nervous system, 167
Schröder, N., see Dal-Pizzol, F., 179
Segura, M., see Prakasa Babu, P., 196
Shibata, N., see Sasaki, S., 44
Shibuya, S., see Jimi, T., 93
Short, J.L., see Snell, B.J., 97
Silva, I., Mello, L.E.A.M., Freymüller, E., Haidar, M.A., Baracat, E.C., Estrogen, progestogen and tamoxifen increase synaptic density of the hippocampus of ovariectomized rats, 183
Smith, J.C.E., Whitton, P.S., Nitric oxide modulates *N*-methyl-D-aspartate-evoked serotonin release in the raphe nuclei and frontal cortex of the freely moving rat, 5
Snell, B.J., Short, J.L., Drago, J., Ledent, C., Lawrence, A.J., Visualisation of AMPA binding sites in the brain of mice lacking the adenosine A_{2a} receptor, 97
Sohn, J.-H., see Lee, B.H., 29
Son, B.-K., see Kim, D.-H., 69
Song, D.-K., see Kim, D.-H., 69
Steinbrink, J., Kohl, M., Obrig, H., Curio, G., Syré, F., Thomas, F., Wabnitz, H., Rinneberg, H., Villringer, A., Somatosensory evoked fast optical intensity changes detected non-invasively in the adult human head, 105
Su, M., see Prakasa Babu, P., 196
Suh, H.-W., see Kim, D.-H., 69
Sung, B., Loh, H.H., Wei, L.-N., Association of kappa opioid receptor mRNA upregulation in dorsal root ganglia with mechanical allodynia in mice following nerve injury, 163
Suzuki, M., see Satoh, T., 167
Suzuki, S., see Kitamura, Y., 117
Syré, F., see Steinbrink, J., 105

Takahashi, K., Abe, T., Matsumoto, K., Tomita, M., Does prolactin releasing peptide receptor regulate prolactin-secretion in human pituitary adenomas?, 159
Takata, K., see Kitamura, Y., 117
Tanaka, M., see Benoliel, R., 61
Taniguchi, T., see Kitamura, Y., 117
Taylor, B.K., Roderick, R.E., Basbaum, A.I., Brainstem noradrenergic control of nociception is abnormal in the spontaneously hypertensive rat, 139
Teasdale, N., see Vuillerme, N., 77
Thomas, F., see Steinbrink, J., 105
Tikhonov, D.B., see Bolshakov, K.V., 101
Tohgi, H., Utsugisawa, K., Nagane, Y., Hypoxia-induced expression of C1q, a subcomponent of the complement system, in cultured rat PC12 Cells, 151
Tomita, M., see Takahashi, K., 159
Tomokiyo, K., see Satoh, T., 167
Tsai, C.-L., Wang, L.-H., The alteration of γ-aminobutyric acid and glutamate contents in the discrete brain of female tilapia during certain stages of gonadal cycle, 171

Uğurbil, K., see Kato, T., 33
Uemura, N., see Jimi, T., 93
Umeki, M., see Kitamura, Y., 117
Utsugisawa, K., see Tohgi, H., 151

Van Tol, H.H.M., see Wong, A.H.C., 135
Vianna, M.M.R, see Dal-Pizzol, F., 179
Villringer, A., see Steinbrink, J., 105
Vitorica, J., see Aller, M.I., 49
Vuillerme, N., Nougier, V., Teasdale, N., Effects of a reaction time task on postural control in humans, 77

Wabnitz, H., see Steinbrink, J., 105
Wahl, M., see Lacza, Z., 65
Wakayama, Y., see Jimi, T., 93
Walz, R., see Dal-Pizzol, F., 179
Wang, L.-H., see Tsai, C.-L., 171
Wang, Y.S., White, T.D., The HIV glycoproteins gp41 and gp120 cause rapid excitation in rat cortical slices, 13
Watanabe, Y., see Satoh, T., 167
Wei, L.-N., see Sung, B., 163
Whateley, J., see Leake, A., 201
White, T.D., see Wang, Y.S., 13
Whitton, P.S., see Smith, J.C.E., 5
Winkler, J., see Biebl, M., 17
Won, R., see Lee, B.H., 29
Wong, A.H.C., Knapp, M.G.L., Van Tol, H.H.M., Dopamine receptor gene transfer into rat striatum using a recombinant adenoviral vector: rotational behaviour, 135
Wylie, D.R.W., Binocular neurons in the nucleus lentiformis mesencephali in pigeons: responses to translational and rotational optic flowfields, 9

Yamanouchi, K., see Matsumoto, T., 143
Yasui, N., see Prakasa Babu, P., 196
Yokota, T., see Koyama, N., 147
Yoshida, Y., see Prakasa Babu, P., 196
Yu, W.-J., Juang, S.-W., Lee, J.-J., Liu, T.-P., Cheng, J.-T., Decrease of neuronal nitric oxide synthase in the cerebellum of aged rats, 37

Zeng, S., see Lu, L., 191
Zhou, Q., Le Grevés, P., Ragnar, F., Nyberg, F., Intracerebroventricular injection of the N-terminal substance P fragment SP_{1-7} regulates the expression of the *N*-methyl-D-aspartate receptor NR1, NR2A and NR2B subunit mRNAs in the rat brain, 109